

Ready to Dispense (R2D) FROM KENT PHARMA

At Kent Pharma, we recognise the growing challenge within the NHS to improve efficiency, patient safety and the time patients spend waiting for their prescriptions to be dispensed.

This is why we constantly work in conjunction with our NHS customers and lead procurement pharmacists to give the best solutions.

In 2006, we launched our first licensed Ready to Dispense (R2D) products. The R2D range is now used daily in Trusts, prisons, walk in centres and out of hours organisations.

Amoxicillin Capsules

► Strength

250mg & 500mg

► Pack size

250mg x 15

Ref: AMO215R2DL
PL 06453/0017

500mg x 15

Ref: AMO515R2DL
PL 06453/0018

Additional information available on request.

250mg x 21*

Ref: AMO221R2DL
PL 06453/0017

500mg x 21*

Ref: AMO521R2DL
PL 06453/0018

POM

* Dispensing label for the 250mg x 21 and 500mg x 21 pack is indicated in the product image above.



Take ONE capsule THREE times a day for days. Space the doses evenly throughout the day. Keep taking this medicine until the course is finished, unless you are told to stop.

Name
Date

Dispensing label for the 250mg x 15 and 500mg x 15 pack.

Amoxicillin Sugar Free Oral Suspension

► Strength

125mg/5ml

250mg/5ml

► Pack size

125mg/5ml with spoon

Ref: ASF125R2DL
PL 06453/0049

250mg/5ml with spoon

Ref: ASF250R2DL
PL 06453/0050

Additional information available on request.



Takemls times a day for days. Space the doses evenly throughout the day. Keep taking this medicine until the course is finished, unless you are told to stop.

Name
Date

POM

Dispensing label for the 125mg/5ml and 250mg/5ml pack.

READY TO DISPENSE (R2D) FROM KENT PHARMA

Doxycycline Capsules

► Strength

100mg

► Pack size

100mg x 14

Ref: DOX114R2DL

PL 08215/0009

Take **ONE** capsule **TWICE** a day for days. Take with a full glass of water. Do not take indigestion remedies, or medicines containing iron or zinc, 2 hours before or after you take this medicine. Space the doses evenly throughout the day. Keep taking this medicine until the course is finished, unless you are told to stop. Protect your skin from sunlight – even on a bright cloudy day. Do not use sunbeds.

Name Date

Additional information available on request.



POM

Flucloxacillin Capsules

► Strength

250mg & 500mg

► Pack size

250mg x 20

Ref: FLU220R2DL

PL 06453/0015

500mg x 20

Ref: FLU520R2DL

PL 06453/0016

250mg x 28*

Ref: FLU228R2DL


PL 06453/0015

500mg x 28*

Ref: FLU528R2DL

PL 06453/0016

Additional information available on request.



POM



* Dispensing label for the 250mg x 28 and 500mg x 28 pack is indicated in the product image above.

Take **ONE** capsule **FOUR** times a day for five days. Take this medicine when your stomach is empty. This means an hour before food or 2 hours after food. Space the doses evenly throughout the day. Keep taking this medicine until the course is finished, unless you are told to stop.

Name Date

Dispensing label for the 250mg x 20 and 500mg x 20 pack.

Penicillin Sugar Free Oral Suspension

► Strength

125mg/5ml

250mg/5ml

► Pack size

125mg/5ml with spoon

Ref: PNV125R2DL

PL 30464/0070

250mg/5ml with spoon

Ref: PNV250R2DL

PL 30464/0070

Additional information available on request.

Takemls times a day for days. Take this medicine when your stomach is empty. This means an hour before food or 2 hours after food. Space the doses evenly throughout the day. Keep taking this medicine until the course is finished, unless you are told to stop.

Name Date

Dispensing label for the 125mg/5ml and 250mg/5ml pack.



POM



For more information, please contact:

Head of Hospital Over-Labeling: Radhesh Desai | Mobile: 07823 347770

Key Account Manager: Ian McWilliams | Mobile: 07860 400101

General Enquiries: Tel: 0845 437 5565 | Email: customer.service@kent-athlone.com

www.kentpharma.co.uk